

## Neutral product description for Integral Lowline

Type:	Wall or floor mounted radiator in steel with fixed front panel and convectors.
Shape:	Rectangular with cleaning friendly smooth front with profiled edge. Open sides and no top grille.
Dimensions:	H x L x D: <200> x <1000-2000> x <102,160,218> mm L= Increments in 200 mm. Refer to drawing material
Surface:	Powder coated white, RAL 9016, gloss 70% - DIN 55900, EN 442
Material:	Panel: Made in 1.20 mm steel, EN 10051. Convectors: Steel plates, EN442
Connections:	A, B; C, D, EE, FF. See the drawing data. See radiator diagram for right / left side. Size 1/2 ".
Operating pressure:	10 bar - EN 442
Output:	x/W, W/meter
Brackets:	Wall mounting brackets.Distance from center to wall 96 or 154 mm, depending on type.
Leg:	Adjustable legs in 2 mm square steel footplate with cover. Height 94-319 mm. Color RAL 9016.

The radiator must be without top grille and side panels

This material is intended for the help and inspiration of architects and engineers. It is the responsibility of the descriptive party at all times to adapt the texts to the specific project and to ensure that the tender specifications comply with the applicable laws and regulations. For more information, see [www.hudevad.com](http://www.hudevad.com)